

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A transmitting terminal apparatus in a communication system that performs communication using a session set between the transmitting terminal apparatus and a receiving terminal apparatus, through a session control server that performs hierarchical control of a communication session, the transmitting terminal apparatus comprising:

a session opening request signal transmitter section that transmits a session opening request signal for requesting requests—the opening of the [[a]] session with the receiving a specified terminal apparatus, to the session control server;

a reservation process setting request signal transmitter section that, while the session is opened, transmits a reservation process setting request signal for requesting requests the setting of a reservation process that is executed after the session is closed, to the session control server when the opened session is changed; and

a session closing request signal transmitter section that transmits a session closing request signal for requesting requests the closing of the opened session, to the session control server.

2. (Currently Amended) The transmitting terminal apparatus according to claim 1, further comprising a session hierarchical operation requester request-section that requests a change operation of a hierarchical relationship among a plurality of opened sessions that are opened.

3. (Currently Amended) The transmitting terminal apparatus according to claim 2, wherein said the hierarchical relationship is specified by a session ID assigned to each of the plurality of sessions session.

4. (Currently Amended) A receiving terminal apparatus in a communication system that performs communication using a session set between a transmitting terminal apparatus and the receiving terminal apparatus through a session control server that performs hierarchical control of a communication session, the receiving terminal apparatus comprising:

a session opening request signal receiver ~~reception-section~~ that receives a session opening request signal for requesting the opening of ~~[[a]]~~ the session from the control server with a specified terminal apparatus;

a session opener ~~opening-section~~ that opens ~~[[a]]~~ the session with the transmitting a specified terminal apparatus according to the received session opening request signal;

a reservation process execution ~~session-closing~~ request signal receiver ~~reception-section~~ that receives a reservation process execution ~~session-closing~~ request signal transmitted from the session control server, according to a reservation process set by the transmitting terminal apparatus while executed when the opened session is opened, such that the reservation process is executed after the session is closed ~~changed~~; and

a reservation process executer that executes the reservation process according to session closing-section that closes the opened session according to the received reservation process execution session-closing request signal; and

a session closing request signal receiver that receives a session control request signal transmitted from the session control server, according to a request of the closing of the session of the transmitting terminal apparatus.

5. (Currently Amended) A session control apparatus comprising:

a session opening request signal receiver ~~reception-section~~ that receives a session opening request signal for requesting the opening of a session between with a transmitting specified terminal apparatus and a receiving terminal apparatus specified by the transmitting terminal apparatus;

a reservation process setting request signal receiver ~~reception-section~~ that, while the session is opened, receives a reservation process setting request signal for requesting the setting of a reservation process that is executed when the opened session that is opened is changed closed;

a session closing request signal receiver ~~reception-section~~ that receives a first session closing request signal for requesting the closing of the opened session that is opened;

a hierarchy setter ~~setting-section~~ that sets a hierarchal relationship among a plurality of opened sessions that are opened according to the received session opening request;

a hierarchy updater ~~update-section~~ that updates the set hierarchal relationship that is set, according to the received first session closing request signal;

a reservation process setter ~~setting-section~~ that, while the session is opened, sets a reservation process that is executed after when the opened session is closed changed, according to the received reservation process setting request signal;

a reservation process executer ~~execution-section~~ that executes the ~~set~~ reservation process set while the session is opened, according to the received first session closing request signal; and

a session closing request signal transmitter ~~transmission-section~~ that transmits a second session closing request signal for requesting the closing of ~~[[a]] the session between the transmitting terminal apparatus and the receiving terminal apparatus with the specified by the transmitting terminal apparatus,~~ according to the closing of the reservation process that is executed.

6. (Currently Amended) The session control apparatus according to claim 5, further comprising:

a session hierarchical operation request signal receiver ~~reception-section~~ that receives a session hierarchical operation request signal for requesting a change operation of the ~~on a~~ hierarchical relationship among ~~[[a]] the plurality of opened sessions that are opened;~~ and

a hierarchy changer ~~change-section~~ that changes ~~[[a]] the~~ hierarchical relationship according to the received session hierarchical operation request signal.